

INDEX MAPS.

T. 5 N. R. 10 E. 2nd Mer.

	464 460	464 460	464 460	464 460	465 461	465 461						
469	6	492	5	486	4	481	3	478	2	476	1	463
	491	491	485	481	477	475						
468	7	490	8	485	9	481	10	477	11	475	12	463
	490	490	484	480	476	474						
468	18	489	17	484	16	480	15	476	14	474	13	462
	489	489	484	480	474	473						
467	19	488	20	483	21	479	22	473	23	472	24	462
	488	487	483	479	472	470						
467	30	487	29	483	28	479	27	472	26	470	25	461
	487	486	482	478	471	470						
467	31	486	32	482	33	478	34	471	35	469	36	461
	458 460	459 460	459 460	459 460	459 460	459 460	459 460	459 460	459 460	459 461	459 461	
	T.		R.							Mer.		

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

Township N. 5 North, Range N. 10 East, 2. Mer. Ind.^a 459
ch. 2th

South Boundary. Rand^m line
West On S. boundary of Sec. 36, T. 5 N. R. 10 E
3.50 a Brook 3 lks. wide C. S.
28.00 a Do. 3 " " " S.
39.00 a Do. 10 " " " S. E.
40.00 Set Temp. gr. Sec. post.
55.00 a good Spring on S. side of the line running S. E.
80.00 Set Temp. cor. to Sects 35 & 36.
Good land well watered & well timbered with
Oak, Poplar, Ash, &c. Sept. 8th, 1806.

West On S. boundary of Sec. 35, T. 5 N. R. 10 E.
40.00 Set Temp. gr. Sec. post.
70.00 a Brook, 3 lks. wide, Course, N. W.
80.00 Set Temp. cor. to Sects 34 & 35.
Flat land, Timber, Oak, Beech, &c.

West On S. boundary of Sec. 34, T. 5 N. R. 10 E.
4.00 a Brook, 3 lks. wide, Course, N.
40.00 Set Temp. gr. Sec. post.
80.00 Set Temp. cor. to Sects 33 & 34.
Level land, Timber, Beech, Oak, Poplar, &c.

West On S. boundary of Sec. 33, T. 5 N. R. 10 E.
18.00 a Brook, 10 lks. wide, C. S.
40.00 Set Temp. gr. Sec. post.
80.00 Set Temp. cor. to Sects 32 & 33.
Flat land, Beech, Oak, Gum, &c.

West On S. boundary of Sec. 32, T. 5 N. R. 10 E.
40.00 Set Temp. gr. Sec. post.
52.00 a Brook, 10 lks. wide, Course S.
80.00 Set Temp. cor. to Sects 31 & 32.
Land, Timber, &c. same as on the last mile

*

True Line, var. 55' 50" E.

T. 5 N. R. 10 E. 2^d Mer. IndianaCh. 1st 1st

East On S. boundary of Sec. 31, T. 5 N. R. 10 E.

40.12 Set gr. Sec. post. from which
 a Beech, 24 in. diar. bears N. 51. W. 27 lks. dist. &
 a Do. 24 " " " S. 42, E. 28 " "

80.25 Set post Cor. to Sect. 31 of 32, from which
 a Beech, 20 in. diar. bears N. 23 W. 9 lks. dist. &
 a Do. 16 " " " S. 8, E. 11 " "

East On S. boundary of Sec. 32, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which
 a Beech, 14 in. diar. bears N. 30, E. 32 lks. dist. &
 a Gum, 24 " " " S. 72 W. 36 " "

80.00 Set post Cor. to Sect. 32 & 33, from which
 a Gum 18 in. diar. bears S. 12, E. 4 lks. dist. &
 a Do. 15 " " " N. 42, W. 16 " "

East On S. boundary of Sec. 33, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which
 a Beech, 20 in. diar. bears S. 50, E. 24 lks. dist. &
 a Poplar 36 " " " N. 26, W. 39 " "

80.00 Set post Cor. to Sect. 33 of 34, from which
 a Poplar 30 in. diar. bears N. 65, W. 22 lks. dist. &
 a Beech, 9 " " " S. 22, E. 25 " "

East On S. boundary of Sec. 34, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which
 a Hickory 14 in. diar. bears N. 6 E. 15 lks. dist. &
 an Elm 12 " " " S. 57, W. 19 " "

80.00 Set post Cor. to Sect. 34 & 35, from which
 a W. Oak, 36 in. diar. bears East 5 lks. dist. &
 a Beech, 12 " " " N. 2 E. 27 " "

East On S. boundary of Sec. 35, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which
 a Beech 8 in. diar. bears S. 8 E. 6 lks. dist. &
 a W. Oak, 16 " " " N. 9 E. 17 " "

461

S 5 N R 10 E. 2nd Mer. Indiana

ch. lth

80.00 Set post Cor. to Sec. 35 & 36, from which
a W. Oak 50 in. dia. bears South 3 lth. dist. &
a No. 12 " " " N 27 W 23 " "

East On S. boundary of Sec. 36 S 5 N. R 10 E.

40.00 Set q. Sec. post, from which
a Sugar 6 in. dia. bears N 19 E 4 lth. dist. &
a No. 12 " " " S 25 W 23 " "

80.00 To the Cor. of Townships 4 & 5 North, of
Range 10 & 11 East.

Com

East Boundary var. 5° 25' E.

North On E. boundary of Sec. 36

24.00 a W. Oak 36 in. dia.

40.00 Set q. Sec. post, from which
a Syc 16 in. dia. bears N 40 E 7 lth. dist. &
a Sugar 14 " " " S 52 E 5 " "

43.00 a Brook 6 lth. wide Course N. E.

55.25 a No. 8 " " " N. E.

57.40 an Ash 18 in. dia.

66.51 a Hickory 20 " "

77.65 a Brook 10 lth. wide Course N. E.

80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 20 in. dia. bears N 13 E 8 lth. dist. &
a No. 12 " " " S 26 E 18 " "
Land hilly, timber Oak, Beech, Hickory
Ash, Syc &c

North On E. boundary of Sec. 25

7.25 a Sycamore 36 in. dia.

9.00 a Brook 30 lth. wide C. S. E. below the line,
but line runs up at 5.50 lth. from NW.

23.20 a Brook 15 lth. wide Course S. W.

23.86 a W. Oak 24 in. diam.

40.00 Set q. Sec. post, from which
an Ash 6 in. diam. bears S 89 E 34 lth. dist. &

462 S. N. N. W. E. 2nd. Mer. Indiana

ch. lks.

a Sugar 16 mi. dist. - bray S 86° N 22 lks. dist.
50.50 a Brook 6 lks. wide C. S. E.
61.31 a Beech 12 mi. dist.
71.46 an Ash 40 " "
80.00 Let post Co. to Sec. 24 & 25, from which
an Elm 11 mi. dist. - bray N 65° E 10 lks. dist. of
a Beech 10 " " " N 68° W 28 " "
Land hilly, rich, timber, Sugar, Beech, Oak
Hickory, Ash &c. Oct. 29th. 1876

North On E. boundary of Sec. 24

22.92 a Sugar 26 mi. dist.

40.00 Let of. Sec. post, from which
an Elm 13 mi. dist. - bray N 65° E. 24 lks. dist. of
a Spruce 13 " " " S 74° W 4 " "

46.70 a Beech 32 " "

60.33 a Brook 8 lks. wide Course N.

78.30 a do. 20 " " " S. W.

80.00 Let post Co. to Sec. 13 & 24, from which
a Buckeye 14 mi. dist. - bray N 47° W - lks. dist. of
a Sugar 5 " " " S 22° E - " "
First 75 chains rich level land, the last 5 chains
hilly, timber Sugar, Beech, Oak, Hickory, Ash &c.
under 1st. Spruce.

North On E. boundary of Sec. 13

9.75 a Brook 10 lks. wide Course S. W.

16.50 a Hickory 20 mi. dist.

23.98 a Brook 4 lks. wide Course N. E.

40.00 Let of. Sec. post, from which
a Beech 9 mi. dist. - bray N 16° E 13 lks. dist. of
a do. 15 " " " S 27° W 23 " "

41.54 a P. Gum 30 " "

43.27 a do. 30 " "

67.55 a Beech 16 mi. dist.

80.00 Let post Co. to Sec. 12 & 13, from which

463

St. N. N. E. 2nd. Mer. Indiana
 ch. lhy
 at Beech 8 mi. dist. from N 17 1/2 W 8 lhy. dist. of
 a Hickory 6 " " " S 12 E 20 "
 first 1/2 mile hilly land, last 1/2 level 2nd rate
 timber Beech, Sugar, Oak, Poplar &c.
 under to Spruce.

North On E. boundary of Sec. 12
 8.50 a Beech 44 mi. dist.
 10.60 a Brook 8 lhy. wide Course N. W.
 12.62 a Do. 6 " " " S. W.
 32.00 a Do. 12 " " " West
 34.59 a Beech 10 mi. dist.
 40.00 At gr. Sec. post, from which
 a Beech 8 mi. dist. from N 3 1/2 W 13 lhy. dist. of
 a Do. 14 " " " S 3 1/2 W 26 "
 47.04 a Beech 20 " "
 58.51 a Do 18 mi. dist.
 69.80 a Brook 6 lhy. wide Course S. W.
 75.06 a Beech 24 mi. dist.
 80.00 At post Co. to Sec. 1 of 12, from which
 a Beech 6 mi. dist. from N 30 1/2 W 21 lhy. dist. of
 a Do. 5 " " " S 22 W 15 "
 Good level timber Beech, Sugar, Poplar &c.
 under to Spruce &c.

North On E. boundary of Sec. 1
 5.04 a Brook 7 lhy. wide Course W.
 11.15 a Beech 16 mi. dist.
 17.78 a Do. 16 " "
 23.50 a Brook line runs down it to North
 26.00 a Do. 15 lhy. wide Course N. W.
 38.85 a Do. 5 " " " W.
 40.00 At gr. Sec. post, from which
 a Beech 7 mi. dist. from S 9 1/2 W 22 lhy. dist. of
 a Do. 9 " " " N 20 E 31 "
 51.95 a Poplar 48 " "

464 T5 N. 12 10 E. 2^d. Mer. Indiana

ch. lky

52.87 a Brook 12 lky. wide Course N.

56.64 a Poplar 48 in. diam.

80.00 Set post Cor. to Township 5 of 6 North, Range 10 of 11 East, from which

an Elm 10 in. diam. bears S 7 E 16 lky. dist. of

a Beech 13 " " " N 7 E 20 " "

Land broken & poor, timber Beech, Sugar,
Oak &c. undag^d. Same.

North Boundary. Random line
East On S. boundary of Sec. 31, T6 N. 12 10 E.

40.00 Set temp^y. of Sec. post

59.42 a Brook 25 lky. wide Course S. N.

80.00 Set temp^y. Cor. to Secs. 31 & 32

Land level, timber Beech, Sugar, ash,
Poplar &c.

East On S. boundary of Sec. 32, T6 N. 12 10 E.

40.00 Set temp^y. of Sec. post

43.50 a Brook 10 lky. wide Course S. N.

45.50 bend of brook 6 lky. wide from S. E.

64.20 the same brook, line runs up it, crossing it several

71.50 leave the brook from S. E. times

80.00 Set temp^y. Cor. to Secs. 32 & 33

Land timber &c. Same as on last mile

East On S. boundary of Sec. 33, T6 N. 12 10 E

40.00 Set temp^y. of Sec. post

61.10 a Brook 8 lky. wide Course S. N.

80.00 Set temp^y. Corner to Secs. 33 & 34

Land timber &c. Same as on last mile

East On S. boundary of Sec. 34, T6 N. 12 10 E

32.20 a Brook 5 lky. wide Course S. E.

40.00 Set of Sec. post temporarily

49.75 a Brook 20 lky. wide Course South

S 5 N R 10 E 2^d Mer. Indiana 465

ch 1st 1/2

80.00 Set tempy. Cor. to Sec. 34 & 35.
Land Broken, with points of hills, timber Beech
Ash, Sugar, Poplar, &c.

East On S. boundary of Sec. 35, T 6 N, R 10 E.

4.20 a Brook 4th. wide Comes S.

28.60 a do. 8 " " " S. E.

40.00 Set tempy. q. Sec. post

49.00 a Creek 4th. wide runs S 80° W, Comes up it
North. I take this to be a branch of W. River

68.90 a Brook 8th. wide Comes N.

75.34 a do. 6 " " " N. W.

80.00 Set tempy. Corner. to Sec. 35 & 36

Land nearly level timber Beech, oak, Sugar
Poplar &c.

East On S. boundary of Sec. 36, T 6 N, R 10 E.

40.00 Set tempy. q. Sec. post

67.00 a Brook 30th. wide C. S. W a branch of

Indian Kentucky

80.60 Hill 278th. S. of post Cor. to Township

5 & 6 North, Range 10 & 11 East

Land Generally level rich, timber Beech
ash, Poplar, Oak &c.

True Line.

West On S. boundary of Sec. 36, T 6 N, R 10 E.

40.00 Set q. Sec. post, from which

a Beech 12 in. dia. branch N 6 E 12th. dist. of

a Sugar 24 " " " 25 & 20 "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Sugar 24 in. dia. branch N 50 W 27th. dist. of

a Poplar 54 " " " East 23 " "

West On S. boundary of Sec. 35, T 6 N, R 10 E.

40.00 Set q. Sec. post, from which

T5 N. R10 E. 2. Mer. Indiana

ch. lth

a Poplar 60 m. dist. from NE 1/4 ch. dist. of
 a do. 42 " " " N 39° 11' 34 " "
 80.00 Set post Cor. to Sec. 34 of 35, from which
 a Beech 24 m. dist. from N 53° 11' 27 " ch. dist. of
 a do. 9 " " " S 74° E 42 " "
 November 3rd 1806.

Met On S. boundary of Sec. 34, T6 N. R10 E.

40.00 Set of Sec. post, from which
 a Poplar 56 m. dist. from N 37° 11' 18 " ch. dist. of
 a Beech 8 " " " S 39° E 35 " "
 80.00 Set post Cor. to Sec. 33 of 34, from which
 a Beech 15 m. dist. from N 6° 11' 16 " ch. dist. of
 a S. Gum 30 " " " S 54° 11' 28 " "

Met On S. boundary of Sec. 33, T6 N. R10 E.

40.00 Set of Sec. post, from which
 a Maple 9 m. dist. from N 54° 11' 20 " ch. dist. of
 a W. Oak 24 " " " S 26° E 11 " "
 80.00 Set post Cor. to Sec. 32 of 33, from which
 a Sugar 18 m. dist. from N 54° 11' 24 " ch. dist. of
 a Beech 8 " " " S 81° E 9 " "

Met On S. boundary of Sec. 32, T6 N. R10 E.

40.00 Set of Sec. post, from which
 a Beech 36 m. dist. from N 42° 11' 9 " ch. dist. of
 a do. 16 " " " S 52° E 28 " "
 43.40 a W. Oak 15 " " " "
 80.00 Set post Cor. to Sec. 31 of 32, from which
 a Beech 16 m. dist. from N 12° 11' 21 " ch. dist. of
 a do. 8 " " " S 68° E 16 " "

Met On S. boundary of Sec. 31, T6 N. R10 E.

40.00 Set of Sec. post, from which
 a Beech 16 m. dist. from N 68° 11' 21 " ch. dist. of
 a do. 7 " " " S 27° E 8 " "

467

S 5 N. R 10 E. 2nd Mer. Indiana
chth
 80.60 Intersected Township Corner
 November 4th. 1806.

var. 5° 30' E.

West Boundary.
North On E. boundary of Sec. 36, S 5 N. R 9 E.
 16.08 at Brook 12th. wide Corner S. W.
 32.50 a Hickory 20 m. dist.
 40.00 at q. Sec. post, from which
 a Beech 6 m. dist. by N 50 E 4th. dist.
 a Do. 6 " " " S 58 W 11 " "
 51.93 at S. Gum 24 " "
 57.70 at Beech 26 " "
 80.00 at post Cor. to Sec. 25 & 36, from which
 a Beech 6 m. dist. by N 66 E 16th. dist.
 a Do. 5 " " " S 89 W 13 " "
 Land flat, timber Beech, Oak, Gum &c.

North On E. boundary of Sec. 25, S 5 N. R 9 E.
 15.00 at Brook 15th. (wide Cr. S. W.)
 23.45 a Beech 12 m. dist.
 33.30 a Brook 5th. wide Corner W.
 40.00 at q. Sec. post, from which
 a S. Gum 14 m. dist. by N 58 E 25th. dist.
 a Beech 2 " " " S 81 W 12 " "
 42.17 a Hickory 12 " "
 53.68 a Do. 24 " "
 63.30 a Brook 4th. wide Corner W.
 78.17 a Beech 15 m. dist.
 80.00 at post Cor. to Sec. 24 & 25, from which
 an Ash 13 m. dist. by N 21 W 11th. dist.
 a Beech 16 " " " S 85 E 26 " "
 Land level, timber Oak, Beech, Ash, Hickory &c.

North On E. boundary of Sec. 24, S 5 N. R 9 E.
 17.43 a Beech 12 m. dist.
 21.85 at Brook 5th. wide Corner W.

T5 N R10 E, 2^d Mer. Indianach. 6th

27.54 a Poplar 36 in. dia.

40.00 Set of Sec. post, from which
a Beech 16 in. dia., tray N 7° W 14 in. dia. of
a do. 11 " " " S 51° E 12 " "

42.70 an Ash 24 " "

44.50 a Brook 20 in. wide Course S. 10° W.

64.10 a Beech 14 in. dia.

80.00 Set post cor. to Sec. 13 of 24 from which
a Gum 8 in. dia., tray N 10° W 10 in. dia. of
a W. Oak 6 " " " S 7° W 19 " "
Land timber &c. Same as on last mile

North On E. boundary of Sec. 13, T5 N, R10 E.

4.45 a W. Oak 22 in. dia.

18.04 a Brook 4 in. wide Course S. W.

19.85 a W. Oak 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 22 in. dia., tray N 75° E 21 in. dia. of
a do. 12 " " " S 58° W 8 " "

51.74 a Beech 30 " "

73.58 a B. Gum 24 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 12 in. dia., tray N 10° E 15 in. dia. of
a do. 13 " " " S 23° E 14 " "
Land flat. timber Beech, Oak, Poplar &c.

North On E. boundary of Sec. 12, T5 N, R9 E

4.61 a Beech 15 in. dia.

12.72 a W. Oak 44 " "

26.70 a Beech 22 " "

40.00 Set of Sec. post, from which
a Beech 18 in. dia., tray N 28° W 25 in. dia. of
a do. 9 " " " S 85° E 23 " "

40.70 a Creek 40 in. wide Course W. a quarry of Stone

46.66 a Beech 22 in. dia.

47.79 a do. 24 " "

[resembling marble]

T5 N R10 E. 2. Mer. Indiana 469

ch. 1/4
 63.52 a Beech 20 m. dist.
 75.60 a Brook 4 lks. wide Course W.
 80.00 At post Cor. to Sec. 1 & 12, from which
 a Beech 22 m. dist. bearing N 79 E 22 lks. dist. of
 a do. 19 " " " S 69 W 21 "
 Land level, timber Beech, Oak, Poplar Hickory
 Oak &c. November 2^d. 1806

North On E. boundary of Sec. 1, T5 N. R9 E.

4.00 a Brook 30 lks. wide Course S. W.
 16.15 a do. 3 " " " S. E.
 16.77 a Beech 20 m. dist.
 22.72 an Ash 14 " "
 31.68 a W. Oak 24 " "
 40.00 At q. Sec. post, from which
 a Beech 20 m. dist. bearing N 83 W 10 lks. dist. of
 a do. 18 " " " S 57 E 9 " "
 80.00 At post Cor. to Township 5 & 6 North,
 Range 9 & 10 East, from which
 a Hickory 10 m. dist. bearing N 49 W 14 lks. dist. of
 a Beech 20 " " " S 62 E 24 "
 Land generally flat, timber Beech, Oak,
 Maple Gum &c.

Surveyed by
 John Brownson,
 Deputy Surveyor Com.

Subdivision

North Section Sec. 1. 35 & 36

15.00 a Brook 10 lks. wide Course E.
 23.55 a Walnut 20 m. dist.
 24.00 a Brook 17 lks. wide Course S. E.
 40.00 At q. Sec. post, from which
 a W. Oak 40 m. dist. bearing S 29 1/2 E 20 lks. dist. of
 a B. Oak 48 " " " N 29 1/2 W 6 " "
 72.00 a Brook 14 lks. wide Course East

470

S. N. R. E. 2^d. Mer. Indiana

ch^{ly}
 80.00 Set post cor. to Secs. 25, 26, 35 & 36, from which
 a W. Oak 11 in. dia. bears S 88° E 25 lks. dist. &
 a Poplar 30 " " " S 86° W 22 " "
 Over high land, timber Beech, W. & B. Oak
 Poplar &c. undg^m Spice & Green bring soil rich.

East On Rand^m between Secs. 25 & 36

15.50 a Brook 10 lks. wide cr^s. N. E. of a cliff of limestone 30 feet high
 27.50 a No. 14 " " " North
 40.00 Set temp^y. of. Sec. post
 80.00 Intersected the E. boundary 50 lks. South of post
 Over very hilly Land soil rich B. & W. Oak Beech
 Ash Walnut &c. undergrowth Spice Black haw &c

West Connected between Secs. 25 & 36

40.00 Set of. Sec. post at average dist. from which
 a Hickory 9 in. dia. bears S 81° E 6 lks. dist. &
 a B. Oak 20 " " " N 77° W 27 " "
 45.25 a W. Oak 17 " " a Brook Course North
 52.50 a Brook Course N. E. banks of limestone rocks
 80.00 to Section Corner

North Between Secs. 25 & 26

21.00 a W. Oak 18 in. dia.
 40.00 Set of. Sec. post, from which
 a B. Oak 17 in. dia. bears N 54° E 20 lks. dist. &
 an Ash 15 " " " S 58° W 24 " "
 48.00 a Brook 16 lks. wide course N. E.
 80.00 Set post Corner to Secs. 23, 24, 25 & 26, from which
 a Poplar 24 in. dia. bears S 65° E 13 lks. dist. &
 a Red Oak 15 " " " N 46° W 18 " "
 Over high rich Land B. & W. Oak

East On Random Between Secs. 24 & 25

21.30 a Brook 10 lks. wide N. E.
 40.00 Set temp^y. of. Sec. post.

S. N. R. E. 2^d. Mer. Indiana 471

ch. l. h.
43. 80 a Brook 25 lvs. wide Course S. E.
79. 87 Intersected the E. boundary 92 lvs. S. of post.
Over hilly rich Land timber Beech, W. & B. Oak,
B. & Blue Ash, undergrowth Spice &c.

West Corrected between Sec. 24 & 25
36. 00 a Brook 25 lvs. wide Course S. E.
39. 83 Set of. Sec. post. at average dist. from which
a Buckeye 8 in. dia. bears S 13° N 22 lvs. dist. &
a Beech 9 " " " N 64 1/2° W 17 " "
58. 57 a Brook 10 lvs. wide Course N. E.
59. 15 a Red Oak 18 in. dia.
79. 87 to Section Corner. Nov. 12th 1806

North Between Sec. 34 & 35.
11. 00 a W. Oak 36 in. dia.
40. 00 Set of. Sec. post. from which
a Beech 15 in. dia. bears S 40° E 12 lvs. dist. &
a Gum 11 " " " N 30° W 48 " "
80. 00 Set post Cor. to Sec. 26, 27, 34 & 35 from which
a Beech 14 in. dia. bears S 65 1/2° W 16 lvs. dist. &
a W. 13 " " " N 89° E 23 " "
Over level Beech Land

East On Pradom between Sec. 26 & 35
40. 00 Set temp. of. Sec. post.
79 73 Intersected the N. & S. line 37 lvs. N. of post.
Over level Land Beech W. & B. Oak &c. undergth
Spice. Soil rich -

West Corrected between Sec. 26 & 35
39. 86 Set of. Sec. post. at average dist. from which
a W. Oak 40 in. dia. bears N 27° W 3 lvs. dist. &

272 S. N. R. N. E. 2nd Mer. Indiana

ch. lhy	a W. Oak 17 in. dia. bears S 20 E 25 lks. dist.
57.38	a Beech 15 " "
79.73	to Section Corner
North	Between Sect. 26 & 27
9.80	a B. Gum 15 in. dia.
40.00	Set of. Sec. post. from which a B. Gum 20 in. dia. bears N 39 E 25 lks. dist. & a Hickory 23 " " " S 32 W 31 " "
45.20	a B. Gum 40 " "
80.00	Set post Cor. to Sect. 22, 23, 26 & 27, from which a Gum 30 in. dia. bears S 55 W 21 lks. dist. & a B. Ho. 11 " " " N 85 E 14 " " Over level Land B. & S. Gum B. & W. Oak -
East	On Prandom between Sect. 23 & 26
40.00	Set temp. of. Sec. post
79.60	Intersected the N. & S. line 62 lks. N. of post. Over level rich Land - B. & W. Oak, Beech, Ash, Sweet & B. Gum &c.
West	Connected between Sect. 23 & 26
38.20	a B. Ash 17 in. dia.
39.80	Set of. Sec. post. at average dist. from which a Beech 16 in. dia. bears N 67 E 15 lks. dist. & a W. Ash 18 " " " S 48 W 32 " "
79.60	to Section Corner
North	Between Sect. 23 & 24
21.00	a Beech 8 in. dia.
23.00	a Brook 5 lks. wide course S. E.
25.80	a Ho. 8 " " " East
39.00	a Brook 10 " " " S. E.

S. N. E. 2nd Mer. Indiana 473

Ch. l. lky	
40. 00	Set of Sec. post, from which a Beech 15 in. dia. bears N 61 E 40 lks. dist. & a Hickory 16 " " " S 75 W 25 " "
80. 00	Set post Cor. to Sec. 13, 14, 23, & 24, from which a Red Oak 30 in. dia. bears N 82 E 17 lks. dist. & a Lymn 18 " " " N 56 E 58 " " Over hilly rich Land W. & B. Oak &c. underg th Spire

East	On Random between Sec. 13 & 24
21. 50	a Stream 8 lks. wide course S. E.
40. 00	Set temp ^y . of Sec. post.
46. 20	a Stream 25 lks. wide course S. fast current
81. 25	Intersected the E. boundary 25 lks. S. of post. Over hilly ground timber B. & W. Oak Sugar Beech Ash, Poplar, Hickory Buckeye &c. undergrowth Spice Nine Bark.

West	Corrected between Sec. 13 & 24
38. 05	a Stream 25 lks. wide course S. fast current -
40. 62	Set of Sec. post, at average dist. from which a Beech 18 in. dia. bears N 38 E 23 lks. dist. & a Sugar 20 " " " S 28 1/2 W 38 " "
43. 63	a Beech 8 " " "
74. 75	a Stream 8 lks. wide course S. E.
81. 25	to Section Corner. Nov ^r 13 th 1806

North	Between Sec. 22 & 23
10. 90	a Beech 12 in. dia.
40. 00	Set of Sec. post, from which a Beech 12 in. dia. bears S 77 1/2 E 18 lks. dist. & a. Gum 18 " " " N 82 W 26 " "
80. 00	Set post Cor. to Sec. 14, 15, 22 & 23, from which a Maple 18 in. dia. bears S 45 E 27 lks. dist. &

474

S 5 N R 10 E 2nd Mer. Indiana

Ch. lks

a Maple 12 in. dia. bears N 37 W 30 lks. dist.
over level Land Soil rich Beech Poplar Gum
Ash, Maple, B. Oak &c.

East On Random between Sect. 14 & 23

40.00 Set temp. of. Sec. post.

79.25 Intersected the N. & S. line 56 lks. N. of post.
Land timber and undergrowth same as last mile

West Corrected between Sect. 14 & 23.

39.62 Set of. Sec. post, at average dist. from which
a Beech 15 in. dia. bears N 28 E 31 lks. dist. &
a No. 13 " " " S 16 E 9 " "

42.62 a Hickory 18 " "

79.25 To Section Corner

North Between Sect. 13 & 14

10.00 a Stream 6 lks. wide course S.E.

14.04 a Beech 10 in. dia.

40.00 Set of. Sec. post, from which
a Beech 13 in. dia. bears S 53 E 17 lks. dist. &
a Sapafas 12 " " " N 87 W 49 " "

45.40 a W. Oak 45 " "

76.50 a Stream 10 lks. wide course S.E.

80.00 Set post Cor. to Sect. 11, 12, 13 & 14, from which
a W. Oak 9 in. dia. bears S 70 W 17 lks. dist. &
a B. Oak 12 " " " N 73 E 69 " "
Over high rich Land Soil rich - timber Beech Poplar
Ash B. & Bur Oak, undergrowth Spice & Sapafas -

East On Random between Sect. 12 & 13

22.50 a Stream 6 lks. wide course S.E.

33.00 a Creek 30 " " " South rapid current

S. N. 100 E. 2nd Mer. Indiana 475

ch. l. l. l.

- 40.00 Set temp. of. Sec. post.
 49.50 a Stream 7 lks. wide Course N.W.
 81.00 Intersected the E. boundary 82 lks. S. of post.
 Over broken rich soil timber Beech Poplar &c.

- West Corrected between Sec. 12 & 13
 21.00 a Beech 10 in. dia.
 31.50 a Stream 7 lks. wide Course N.W.
 40.50 Set of. Sec. post, at average dist. from which
 a Beech 7 in. dia. bears S 47 W 14 lks. dist. &
 a No. 8 " " " N 44 E 25 " "
 48.00 a Creek 30 lks. wide Course South rapid current
 58.50 a Stream 6 " " " S. E.
 81.00 to Section Corner

- North Between Sec. 11 & 12
 10.00 a Poplar 40 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 17 in. dia. bears S 37 E 26 lks. dist. &
 a No. 10 " " " N 31 W 13 " "
 41.00 a W. Oak 50 " "
 80.00 Set post Corner to Sec. 1, 2, 11 & 12, from which
 a Beech 30 in. dia. bears N 30 W 32 lks. dist. &
 a No. 18 " " " S. 65 E 50 " "
 Over high rich Land - Beech B. & W. Oak &c.

- East On Random Between Sec. 1 & 12
 17.50 a Stream 3 lks. wide Course S. E.
 40.00 Set temp. of. Sec. post.
 53.00 a Stream 40 lks. wide Course S. 60 W.
 80.14 Intersected the E. boundary 50 lks. S. of post.
 Over broken Land soil rich B. & W. Oak Chestnut
 Ash Hickory &c.

- West Corrected between Sec. 1 & 12
 27.14 a Stream 40 lks. Course S. 60 W.

476 S5 N R10 E. 2nd Mer. Indiana

ch. l. l. l.

- 40.07 Set of Sec. post. at average dist. from which
a Beech 30 in. dia. bears S 51 N 20 l. dist. &
a Lym 24 " " " N 24 E 27 " "
- 60.10 a Beech 10 " "
- 62.64 a Stream 3 l. wide Course S. E.
- 80.14 to Section Corner.

North Between Sect. 1 & 2

8.00 a Hickory 15 in. dia.

- 40.00 Set of Sec. post. from which
a Beech 8 in. dia. bears N 40 E 10 l. dist. &
a W. 7 " " " S 46 N 30 " "

82.59 Intersected the N. boundary 80 l. E. of post.

Set post Cor. to Sect. 1 & 2, from which
a Beech 18 in. dia. bears N 16 1/2 E 20 l. dist. &
a W. 17 " " " S 23 E 19 " "

Over level land - timber Beech, Poplar, W. & B. Oak,
Black & B. Ash - undergth Black & B. Gum
Briers - Soil rich. Nov. 15th 1806.

North Between Sect. 14 & 15

9.00 a Lym 18 in. dia.

- 40.00 Set of Sec. post. from which
a White — 30 in. dia. bears S 78 E 33 l. dist. &
a Beech 18 " " " N 70 N 21 " "

80.00 Set post Cor. to Sect. 10, 11, 14 & 15, from which
a S. Gum 15 in. dia. bears N 65 E 7 l. dist. &
an Elm 11 " " " — 26 " "

Land timber &c. Same as on the last. Mile

East On Prandom between Sect. 11 & 14

40.00 Set temp. of Sec. post.

77.50 a Stream 10 l. wide Course S. E.

77.54 Intersected the N. & S. line 29 l. N. of post
Land timber &c. Same as before -

S. N. R. 10 E. 2. Mer. Indiana

477

ch. 1/2

West Connected between Sect. 11 & 14.

2. 04 a Stream 10 lks. wide Course S.E. 100 lks. up this brook & on the East Side of it, is a Yellow Spring over Spring that issues Sediment -

39. 77 Set of. Sec. post, at average dist. from which
a W. Oak 18 in. dia. bears S 7 1/2 W 44 lks. dist. &
a Beech 10 " " " N 19 E 25 " "

41. 31 a No. 17 " "

79. 54 to Section Corner

North Between Sect. 10 & 11

30. 43 a Hickory 15 in. dia.

40. 00 Set of. Sec. post, from which
a W. Oak 60 in. dia. bears N 52 E 7 lks. dist. &
a B. Gum 17 " " " S 32 W 29 " "

41. 30 a No. 17 " "

80. 00 Set post Cor. to Sect. 2, 3, 10 & 11, from which
a Sugar 18 in. dia. bears S 87 E 6 lks. dist. &
a Beech 8 " " " N 86 W 24 " "
Over level Land timber Beech Poplar W. & B.
Oak, B. & S. Gum &c.

East On Prandon between Sect. 2 & 11

4. 00 a Brook 6 lks. wide Course N.W.

40. 00 Set temp. of. Sec. post.

79. 53 Intersected the N. & S. line at the post.

Over level thickety Land Soil rich timber Hickory
B. & W. Oak &c. Undergrowth Spice & Briers -

West Connected between Sect. 2 & 11

39. 76 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 35 W 14 lks. dist. &
a S. Gum 18 " " " S 37 E 30 " "

39. 76 a Beech 20 " "

75. 53 a Brook 6 lks. wide Course N.W.

79. 53 to Section Corner

S-N RIVE. 2^d. Mer. Indiana

Ch. Lk.

North Between Sect. 2 & 3

00.73 a Brook 6 lks. wide Course N.

17.40 a Lyma tree 20 in. dia.

40.00 Set of. Sec. post. from which

a Beech 18 in. dia. bears S 46 N 26 lks. dist. &

a Sugar 40 " " " N 27 E 44 " "

53.00 a Stream 25 lks. wide Course S. W. Slow current

55.00 a Beech 24 in. dia.

81.62 Intersected the N. boundary 230 lks. E. of post.

Set post Cor. to Sect. 2 & 3, from which

a Sugar 30 in. dia. bears S 58 1/2 N 5 lks. dist. &

a W. 20 " " " N 78 1/2 E 46 " "

first 1/2 mile high hushey Land Beech Sugar &c.

last 1/2 mile high rich Land beech &c. ungr^d.Spice &c. November 16th. 1806

North Between Sect. 33 & 34

30.40 a W. Oak 40 in. dia.

40.00 Set of. Sec. post. from which

a Beech 10 in. dia. bears S 29 N 6 lks. dist. &

a W. 9 " " " N 42 E 30 " "

60.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which

a Beech 18 in. dia. bears N 54 E 6 1/4 lks. dist. &

a W. Oak 45 " " " S 56 N 6 1/4 " "

Over level Land W. & B. Oak &c. Soil rich

East On Random between Sect. 27 & 34

40.00 Set temp^y. of. Sec. post.

79.36 Intersected the N. & S. line at the post.

level thin Land Beech B. & S. Gum &c.

West Corrected between Sect. 27 & 34

39.68 Set of. Sec. post. at average dist. from which

a Sugar 18 in. dia. bears N 65 E 18 lks. dist. &

a B. Oak 40 " " " S 30 N 3 " "

43.48 a Beech 11 " "

479

S 5 N 10 E 2^d Mer. Indiana
ch. lly
 79.36 to Section Corner

North Between Sec. 27 & 28
 24.00 a W. Oak 40 in. dia.
 25.00 a Brook 6 lbs. wide Course W.
 40.00 Set q. Sec. post. from which
 a Maple 7 in. dia. bears N 40 E 29 lbs. dist. &
 a B. Ash 11 " " " S 40 W 2 " "
 62.50 a B. Gum 17 " "
 63.50 a Brook 12 lbs. wide Course W.
 80.00 Set post. Cor. to Sec. 21, 22, 27 & 28, from which
 a W. Oak 27 in. dia. bears N 80 E 44 lbs. dist. &
 a Hickory 30 " " " N 89 W 42 " "
 Over level thin soil - timber Beech & W. Oak &c.

East On Prandom between Sec. 22 & 27.
 40.00 Set temp. q. Sec. post.
 79.34 Intersected the N. & S. line at the post.
 Land timber &c. Same as on the last mile

West Corrected between Sec. 22 & 27
 4.00 a W. Oak 12 in. dia.
 39.67 Set q. Sec. post. at average dist. from which
 a W. Oak 20 in. dia. bears N 20 W 14 lbs. dist. &
 a B. Oak 17 " " " S 55 E 36 " "
 79.34 to Section Corner

North Between Sec. 21 & 22
 9.20 a S. Gum 12 in. dia. bears
 28.08 a W. 18 " " "
 40.00 Set q. Sec. post. from which
 a B. Oak 60 in. dia. bears South 20 lbs. dist. &
 a W. Oak 20 " " " N 83 W 30 " "
 54.75 a Brook 10 lbs. wide. Course S. W.
 80.00 Set post Corner to Sec. 15, 16, 21 & 22, from which
 a Beech 17 in. dia. bears N 86 1/2 E 44 lbs. dist. &

S 5 N R 10 E. 2^d Mer. Indiana

ch. Alley,

a Beech 15 in. dia. bears N 83 $\frac{1}{2}$ W 25 lks. dist. &
over level rich Land timber Beech, Poplar, B. &
W. Oak, undergrowth Spice &c.

East On Random between Sec. 15 & 22

40.00 Set temp. q. Sec. post.

79.24 Intersected the N. & S. line 7 lks. N. of post.
Land timber &c. same as last mile.

West Corrected between Sec. 15 & 22

39.62 Set q. Sec. post. at average dist. from which
a Hickory 20 in. dia. bears N 47 W 30 lks. dist. &
a d. Gum 12 " " " — 20 E 21 " "

41.66 a W. Oak 17 " "

79.24 to Section Corner. November 17th 1806

North Between Sec. 15 & 16

11.00 a Brook 10 lks. inside course S. W.

12.00 an Elm 10 in. dia.

40.00 Set q. Sec. post. from which

a W. Oak 40 in. dia. bears West 12 lks. dist. &
a W. 50 " " " S 68 E 3 " "

40.84 a Poplar 24 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which

a Beech 17 in. dia. bears East 9 lks. dist. &

a W. Oak 30 " " " S 81 E 40 " "

Over level rich Land - timber Beech W. & B. Oak
B. & S. Gum &c.

East On Random between Sec. 10 & 15

40.00 Set temp. q. Sec. post.

79.64 Intersected the N. & S. line 6 lks. S. of post.
Land timber &c. same as before

West Corrected between Sec. 10 & 15

20.64 a Beech 12 in. dia.

481

S 5 N R 10 E 2^d Mer. Indiana

ch. lhp.

- 39.82 Set of. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 19 $\frac{1}{2}$ W 18 lhp. dist. 4
a S. Gum 16 " " " N 11 $\frac{1}{2}$ W 30 " "
- 79.64 to Section Corner

North Between Sec. 9 & 10

- 20.00 a Creek 50 lhp. wide Course W. Gentle current,
28.20 a Beech 20 in. dia.
40.00 Set of. Sec. post, from which
a Beech 11 in. dia. bears N 40 W 21 lhp. dist. 4
a No. 36 " " " S 49 E 26 " "
42.00 a Creek 50 lhp. wide Course S. E.
46.00 a No. 50 " " " S. 20 W.
80.00 Set post Cor. to Sec. 3, 4, 9, & 10, from which
a Beech 30 in. dia. bears N 81 E 14 lhp. dist. 4
a No. 10 " " " N 30 $\frac{1}{2}$ E 14 " "
Over Land high & rich - timber same as before

East On Road^m between Sec. 3 & 10

- 40.00 Set temp. of. Sec. post
47.00 a Creek 40 lhp. wide C. S. E.
69.00 a stream 17 " " " S. W.
80.00 Intersected the N of S. line 63 lhp. S. of post
Over high land rich soil, timber Beech, Sugar
Buckeye &c.

West Connected between Sec. 3 & 10

- 11.00 a stream 17 lhp. wide Course S. W.
33.00 a Creek 40 " " " S. E.
40.00 Set of. Sec. post at average dist. from which
a Beech 12 in. dia. bears N 80 W 18 lhp. dist. 4
a No. 17 " " " S 65 E 39 " "
42.50 a Beech 11 " "
80.00 to Sec. Corner.

North Between Sec. 3 & 4

482 S. K. R. N. E. 2nd Mer. Indiana

ch. 2. 1/4

5.80 at Beech 18 m. dist.

22.80 a do. 35 " "

40.00 Set gp. See. post, from which
at Beech 18 m. dist. bearing N 56 E 15 lrs. dist. of
a do. 20 " " " S 62 W 48 " "

81.02 Intersected N. boundary 279 lrs. E. of post
Set post Cor. to Sec. 3 & 4, from which
at Beech 8 m. dist. Corner tree
a do. 18 " " bearing S 20 W 11 lrs. dist. of
at Beech 10 " " " N 1 1/2 E 28 " "
Over level rich land Beech, W. & B. Oak,
Ash, Gum &c. November 18th, 1876

North Between Sec. 32 & 33

11.15 a Hickory 20 m. dist.

40.00 Set gp. See. post, from which
at Beech 20 m. dist. bearing N 75 E 14 lrs. dist. of
a do. 12 " " " S 81 W 43 " "

48.00 at Beech 10 " "

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
at Beech 20 m. dist. bearing N 86 E 54 lrs. dist. of
a S. Gum 15 " " " N 89 1/2 W 5 " "
Over level land soil thin Beech &c.

East On Land m. between Sec. 28 & 33

40.00 Set temp. gp. See. post

79.80 Intersected the N & S. line 4 lrs. N. of post
Land timber &c. Same as on last mile

West Corrected between Sec. 28 & 33

39.90 Set gp. See. post at average dist. from which
at Beech 30 m. dist. bearing N 1 1/2 E 36 lrs. dist. of
a do. 8 " " " N 23 E 24 " "

42.54 at Blue Ash 11 m. dist.

79.90 to Sec. Corner.

S 5 N R 10 E. 2^d. Mer. Indiana 483

ch. lky.

North Between Secs. 28 & 29

14.50 a W. Oak 40 in. dia.

22.35 a Do. 45 " "

36.40 a Brook 20 lky. wide Course S. W.

40.00 Set gp. Sec. post, from which

a W. Oak 20 in. dia. bray S 42 E 35 lky. dist. of
a wp. Oak 10 " " " N 71 W 24 " "

80.00 Set post Co. to Secs. 20, 21, 28 & 29, from which
a Beech 12 in. dia. bray N 31 W 20 lky. dist. of
a W. Oak 50 " " " S 43 E 66 " "
Over high richland, 13 W. Oak, Hickory
Walnut &c. undergth. Spruce

East On Rand. between Secs. 21 & 28

40.00 Set temp. gp. Sec. post

54.50 a Brook 20 lky. wide Course S. W.

79.97 Intersected the N of S. line 2 lky. N. of post
Sand timber &c. Same as on the last mile

West Connected between Secs. 21 & 28

4.50 a Beech 10 in. dia.

39.98 Set gp. Sec. post at average dist. from which
a Beech 25 in. dia. bray N 5 W 14 lky. dist. of
a Do. 18 " " " S 3 W 43 " "

70.18 a Beech 25 " "

79.97 to Sec. Corner.

North Between Secs. 20 & 21

5.00 a Brook 20 lky. wide Course S. W.

5.30 an Elm 15 in. dia.

40.00 Set gp. Sec. post, from which

a Beech 18 in. dia. bray S 57 E 32 lky. dist. of
a W. Oak 28 " " " N 45 W 52 " "

74.50 a Beech 12 in. dia.

80.00 Set post, Co. to Secs. 16, 17, 20 & 21, from which
a S. Gum 25 in. dia. bray S 81 E 34 lky. dist. of

484 To N. R. W. E. 2^d. Mer. Indiana
ch. lky.

a Maple 30 in. dia. bey N 88 W 58 lky. dist. of
Over level rich land, timber Beech, Poplar
B & W. Oak &c.

East On Land^m. between Sec. 16 & 21

40.00 Set temp. q. Sec. post

74.40 a Brook 17 lky. wide Course S. W.

79.87 Intersected the N. of S. line 34 lky. N. of post
Land timber &c. same as on last mile

West Corrected between Sec. 16 & 21

5.47 a Brook 17 lky. wide Course S. W.

37.14 a W. Oak 15 in. dia.

39.93 Set q. Sec. post at average dist. from which

a Beech 11 in. dia. bey N 15 E 28 lky. dist. of

a Poplar 20 " " " N 18 W 25 " "

79.87 to Sec. Corner. November 19th. 1806

North Between Sec. 16 & 17

5.73 a Beech 18 in. dia.

40.00 Set q. Sec. post, from which

a Beech 17 in. dia. bey N 64 E 6 lky. dist. of

a S. Gum 22 " " " N 89 W 50 " "

48.06 a Do 40 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which

a Sugar 35 in. dia. bey S 55 E 44 lky. dist. of

a Beech 18 " " " N 53 W 34 " "

Land timber &c. same as on last mile

East On Land^m. between Sec. 9 & 16

11.00 a Creek 60 lky. wide Course N. W.

Rocky banks, bed Current slow

11.75 a Small Cave South 100 lky.

38.00 a Creek 60 lky. wide Course S. W.

40.00 Set temp. q. Sec. post - Two Caves North 60 lky.
from 38.00 to 46.50 up said Creek - high

S. N. R. 10 E. 2^d. Mer. Indiana 485

ch. 1st 1/2

Rocky banks, good building stone
80.00 Intersected the N & S. line 18 lns. N. of post
Over high rich land Beech, Poplar, B & W.
Oak &c. undg^g. Spruce, birch &c.

West Corner between Secs. 9 & 16

7.92 a Beech 18 in. dia.
40.00 Set of. See post at average dist. from which ^{in a brook}
a Gum 30 in. dia. & bay N 33¹/₂ W 36 lns. dist. of
a Beech 7 " " " N 33¹/₂ E 90 " "
80.00 to Sec. Corner.

North Return Secs. 8 & 9

8.50 a Creek 6 lns. wide Corner W.
26.75 a Sugar 18 in. dia.
39.00 a Beech 15 " "
40.00 Set of. See post, from which
a Beech 30 in. dia. & bay N 81¹/₂ E 21 lns. dist. of
a Do. 16 " " " N 80¹/₂ W 11 " "
80.00 Set post Cor. to Secs. 4, 5, 8 & 9, from which
a Sugar 25 in. dia. & bay S 21¹/₂ E 28 lns. dist. of
a Beech 16 " " " N 21¹/₂ W 25 " "
Over high rich land timber Beech, Poplar,
B & Sweet Gum, B & W. Oak &c. undg^g. Spruce &c.

East On Rand^m. between Secs. 4 & 9

40.00 Set temp^y. of. See post
79.64 Intersected the N & S. line 5 lns. S. of post
Over level rich land soil yellow, W & R. Oak

West Corner between Secs. 4 & 9

39.82 Set of. See post at average dist. from which
a Red Elm 12 in. dia. & bay N 17¹/₂ E 22 lns. dist.
a Beech 20 " " " S 41¹/₂ W 41 " "
49.64 a Beech 25 " "
59.00 a Do. 20 " "

486

S 5 N R 10 E 2^d Mer. IndianaCh² lks.

79.64 to Sec. Corner.

North Between Sec^s. 4 & 5

3.50 a Stream 6 lks. wide Cr. S. M.

3.75 a Sugar 25 in. dia^r.

28.00 at Beech 36 " "

40.00 Set of Sec. post, from which
at Beech 18 in. dia^r. bay N 53 E 42 lks. dist. of
a do. 17 " " " S 67 W 17 " "79.65 Intersected the N. boundary 269 lks. E. of post
Set post Cor. to Sec^s. 4 & 5, from whicha Beech 11 in. dia^r. bay N 33 E 9 lks. dist. of

a do. 35 " " " S 54 W 23 " "

Oven level land, timber Beech, S. B. Gum
Poplar &c. Soil yellow. Nov. 20th 1806North Between Sec^s. 31 & 3210.50 an Elm 16 in. dia^r.

34.85 at Beech 11 " "

40.00 Set of Sec. post, from which
at Beech 18 in. dia^r. bay N 57 E 40 lks. dist. of
a S. Gum 20 " " " S 51 W 10 " "80.00 At post Cor. to Sec^s. 29, 30, 31 & 32, from which
at S. Gum 20 in. dia^r. bay N 83 1/2 E 75 lks. dist. of
a Hickory 22 " " " S 78 W 42 " "Oven level land Soil rich, timber Beech, S. B. S.
Gum, 12 & W. OakEast On Rand^m. between Sec^s. 29 & 3240.00 Set temp^y. of Sec. post

47.25 at Brook 1 lks. wide Corner N. M.

79.75 Intersected the N. & S. line 8 lks. S. of post
Land timber &c. Same as on last mileWest Corried between Sec^s. 29 & 32

39.87 Set of Sec. post, at average dist. from which

487

S 5 N - R 10 E, 2nd. Mer. Indiana

ch. l. lky.

a P. Gum 20 in. dia. bray S 73 1/2 E 20 lky. dist. of
a Hickory 20 " " " S 47 N 32 " "
44.16 a Beech 10 in. dia.
78.35 a Do. 20 " "
79.75 to Sec. Corner

West Between Secs. 30 & 31

14.14 a Beech 20 in. dia.
28.64 a P. Gum 20 " "
40.00 Set of Sec. post, from which
a Beech 17 in. dia. bray N 17 E 13 lky. dist. of
a Beech 10 " " " S 2 N 6 " "
80.50 Intersected N. boundary 8 lky. S. of post
Set post cor. to Secs. 30 & 31, from which
a Beech 10 in. dia. bray N 35 N 32 lky. dist. of
a Do 7 " " " S 38 1/2 E 41 " "
Land level Beech, Ash, &c. undng^m. Spruce,
Beech &c. Soil rich

North Between Secs. 29 & 30

22.55 a Beech 17 in. dia.
35.00 a S. Gum 40 " "
40.00 Set of Sec. post, from which
a S. Gum 30 in. dia. bray N 47 E 20 lky. dist. of
a Beech 18 " " " S 32 N 15 " "
80.00 Set post cor. to Secs. 19, 20, 29 & 30, from which
a W. Oak 50 in. dia. bray N 53 N 5 lky. dist. of
a P. Gum 20 " " " S 55 E 42 " "
Over level rich land Beech, Poplar, S. Gum,
B & W. Oak &c. undng^m. Beech

East Out Rand^m. between Secs. 20 & 29

7.50 a Brook 10 lky. wide Course N. W.
33.80 a Creek 58 " " " N. W.
40.00 Set temp^y. of Sec. post
69.50 a Brook 17 lky. wide Course S.

T 5 N R 10 E 2^d Mer. Indiana

ch. lks.

79.92 Intersected the N of S, 20th lks. N. of post
 First 1/2 mile hill land, Beech, Poplar, B. W.
 Oak - last 1/2 high rich land, Walnut, B & W
 Oak, Ash &c. undergth Spruce

West Connected between Secs. 20 & 29

39.56 let q. Sec. post at average disk from which
 a Beech 16 in. diam. bray N 18 W 15 lks. dist. of
 a Do. 19 " " " N 10 E 21 " "

41.15 at Beech 20 " "

79.12 to Sec. Corner.

West Between Secs. 19 & 30

5.00 a W. Oak 25 in. diam.

40.00 let q. Sec. post, from which
 a Beech 23 in. diam. bray N 53 E 9 lks. dist. of
 a Do. 30 " " " N 1 1/2 E 33 " "

46.50 a Creek 60 lks. wide Corner S. W.

81.73 Intersected W. boundary 25th lks. S. of post
 let post Cor. to Secs. 19 & 30, from which
 a Beech 17 in. diam. bray N 72 W 29 lks. dist. of
 a Blue Ash 12 " " " N 86 1/2 E 33 " "
 Over high rich land, Beech, Poplar &c.
 undergth Spruce &c.

North Between Secs. 19 & 20

10.50 a Creek 49 lks. wide Corner W.

13.35 a Beech 17 in. diam.

21.30 a stream 10 lks. wide Cor. S. W.

40.00 let q. Sec. post, from which
 a Beech 17 in. diam. bray N 20 E 29 lks. dist. of
 a Do. 20 " " " N 26 W 25 " "

80.00 let post Cor. to Secs. 17, 18, 19 & 20, from which
 a Beech 20 in. diam. bray N 51 E 34 lks. dist. of
 a Do. 16 " " " N 64 W 65 " "
 First 1/2 over high rich land - last 1/2 mile level

5 N 10 E. 2^d. Mer. Indiana 489
ch. lky.
land, timber same as last mile. Nov. 21st 1806

East Out Rand^m. between Dec^r. 17 & 20
40.00 At temp^y. q^r. See. post
79.37 Intersected the N & S. line at the post
Over level rich land, timber as before

West Corried, between Dec^r. 17 & 20
39.68¹/₂ At q^r. See. post at average dist. from which
a Beech 20 mi. dist. bearing N 88 E 42¹/₂ lky. dist. of
a S. Gum 20 " " " N 85 W 19 " "
79.37 to Sec. Corner

West Between Dec^r. 18 & 19
3.50 a S. Gum 20 mi. dist.
16.50 a S. Gum 20 " "
40.00 At q^r. See. post, from which
a Beech 25 mi. dist. bearing N 68 W 44 lky. dist. of
a Do. 20 " " " S 45 E 18 " "
62.30 a Brook 10 lky. wide Corner d.
64.68 a Beech 18 mi. dist.
81.62 Intersected W. boundary 2 lky. S. of post
At post Cor. to Dec^r. 18 & 19, from which
a S. Ash 11 mi. dist. bearing N 88 3/4 W 15 lky. dist. of
a Maple 20 " " " S 69 1/4 E 15 " "
Land timber &c. same as on last mile

North Between Dec^r. 17 & 18
3.40 a Beech 11 mi. dist.
16.50 a S. Gum 25 " "
39.50 a Brook 10 lky. wide Corner N.W.
40.00 At q^r. See. post, from which
an Elm 20 mi. dist. bearing N 22 W 56 lky. dist. of
a Do. 17 " " " S 12 E 17 " "
65.40 a Creek 60 lky. wide Corner S 30 W. Little current
80.00 At post Cor. to Dec^r. 7, 8, 17 & 18, from which

490 S. N. P. E. 2nd Mer. Indiana
ch. l. l. l.
a Beech 20 in. dia. - bray N 69 E 17 l. dist. of
a do. 30 " " " N 69 W 27 "
Over high rich land, timber same as before
November 22nd 1886.

East On Rand^m. between Secs. 8 & 17

15.00 a Creek 60 l. wide Corner S. W.

40.00 At pt. of Sec. post

79.54 Intersected the N. & S. line 30 l. S. of post
Land timber &c. same as on last mile

West Corrected between Secs. 8 & 17

39.77 At pt. Sec. post at average dist. from which
a Beech 17 in. dia. - bray N 11 W 43 l. dist. of
a Sugar 30 " " " South 22 " "

39.98 a Beech 20 " "

79.54 to Sec. Corner.

West Between Secs. 17 & 18

1.58 a Beech 17 in. dia.

27.14 a Sugar 20 in. dia.

40.00 At pt. Sec. post, from which
a Dogwood 8 in. dia. - bray N 1 E 14 l. dist. of
a Beech 9 " " " N 17 E 4 " "

43.65 a Creek 70 l. wide Corner N 60 W.

59.90 a Brook 8 " " " North

82.83 Intersected W. boundary 44 l. S. of post
At post Cor. to Secs. 7 & 18, from which
a Beech 20 in. dia. - bray N 65 E 12 l. dist. of
a Poplar 30 " " " N 47 W 49 " "
Land timber &c. same as on last mile

North Between Secs. 7 & 8

23.00 a Beech 30 in. dia.

40.00 At pt. Sec. post, from which
a Beech 10 in. dia. - bray N 75 E 12 l. dist. of

S 5 N - R 10 E. 2nd Mer. Indiana ⁴⁹¹

Ch. Lk.

- at Beech 9 m. dist. from 155 1/2 W 22 Lk. dist. of
 44.00 at Brook 11 Lk. wide Corner W.
 67.00 at W. Oak 72 m. dist.
 80.00 at post Cor. to Sec. 5, 6, 7 & 8, from which
 an Elm 20 m. dist. from N 89 W 7 Lk. dist. of
 at B. Ash 14 " " " S 80 E 4 " "
 Over high rich land, Beech, Ash, Elm &
 underg^g. Spruce, Beech &c.

East On Rand^m. between Sec. 5 & 8

- 40.00 at temp^g. of Sec. post
 75.30 at stream 10 Lk. wide Corner S. W.
 79.80 intersected the N & S. line 30 Lk. N. of post
 Over level rich land, timber Beech, Poplar, W
 & B. Oak &c. underg^g. Spruce &c.

West Connected between Sec. 5 & 8

- 19.80 at Beech 11 m. dist.
 39.90 at g^g. Sec. post at average dist. from which
 a Beech 17 m. dist. from S 60 W 17 Lk. dist. of
 a Maple 18 " " " N 67 E 17 " "
 79.80 to Sec. Corner

West Between Sec. 6 & 7

- 23.00 at Beech 10 m. dist.
 23.20 at Brook 20 Lk. wide Corner S. W.
 40.00 at g^g. Sec. post from which
 a Beech 30 m. dist. from N 15 E 28 Lk. dist. of
 a Dr. 8 " " " S 34 E 17 " "
 83.13 intersected W. boundary 2 Lk. S. of post
 at post Cor. to Sec. 6 & 7, from which
 a Beech 26 m. dist. from N 74 1/2 E 23 Lk. dist. of
 a Dr. 20 " " " S 76 W 20 " "
 Over hilly land, Soil rich, Beech, Poplar &
 underg^g. Spruce.

492 T5 N 10 E. 2^d Mer. Indiana

ch. lks.

North Between Sec. 5 & 6

12.05 a Poplar 60 inches diameter

24.25 a Brook 18 lks. wide Course West

40.00 Set of Sec. post, from which

a Beech 25 in. diam. bears South 10 lks. dist. of

a Co. 18 " " N 19 E 12 " "

80.10 Intersected the N. of Boundary 30 3/4 lks. East of post

Set post Cor. to Sec. 5 & 6, from which

a Beech 17 in. diam. bears N 46 E 34 lks. dist. of

a Co. 12 " " " N 74 W 2 " "

Over high rich land, timber Beech, Ash, Gum,

W. & P. Oak &c. under Beech, Spruce &c.

November 23^d. 1806

Surveyed by

John Brownson

Deputy Surveyor

End of Vol. 10.

Compared.

I certify that the foregoing transcript of field notes of
Township N. 5 North, Range N. 10 East 2^d Meridian
Indiana, has been compared with the original notes
in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Nov. 26th. 1842

William Johnston
Sur. Genl.